(BLOCK- D)
10th. FLOOR PLAN
LEVEL +38050

(BLOCK- D)
11th. FLOOR PLAN
LEVEL +41350

Note :-

1. BUILDING WILL BE DESIGNED (STRUCTURES) AS PER RELEVENT IS CODES FOR EARTH QUAKE RESISTANCE.
2. THE BUILDING COMPLY WITH FIRE NORMS

LEGEND:-

LEGEND :-

SYM.	DESCRIPTION
(1)	100ø SOIL & VENT PIPE
(2)	100ø WASTE & VENT PIPE
(3)	150ø RAIN WATER PIPE
(3A)	100ø RAIN WATER PIPE
(4)	80ø,65ø,40ø DOMESTIC WATER SUPPLY
(5)	80ø,65ø,40ø FLUSHING WATER SUPPLY
(6)	75ø ANTISYPHONAGE PIPE
(7)	50ø DOMESTIC WATER TANK FILLING
(8)	40ø DOMESTIC WATER TANK FILLING
	KHURRA 450X450

LEGEND FOR FIRE FIGHTING	
F.H.C	FIRE HOSE CABINET
	PENDENT TYPE SPRINKLER MINIMUM INLET 20mmø
	CO2 TYPE FIRE EXTINGUISHER CAPACITY=4.5Kg
	UPRIGHT TYPE SPRINKLER MINIMUM INLET 20mmø

Project:

PROPOSED COMMERCIAL COLONY AREA MEASURING 2.961 ACRES. (LICENCE NO. 110 OF 2010 DATED 29-12-2010) IN SECTOR-82-A, GURGAON MANESAR URBAN COMPLEX BEING DEVELOPED BY SH. TEJPAL S/O SH. BADAM SINGH AND SMT. SAKUNTALA DEVI W/O SH. TEJPAL IN COLLABORATION WITH M/S VATIKA LTD.

Associate Architects

RSMS ARCHITECTS PVT. LTD.
69,Nora Niwas Bhawani Kunj
(Behind D2), Vasant Kunj,
New Delhi-110070.
Tel.:011-26898616,26898617
www.rsms-arch.com

D.T.P. (HQ) Member D.P.C. | S.T.P. (G) Member D.P.C. | C.T.P. (Hr) Chairman D.P.C.

TAD | TD | TPA | ATP

Checked and found ok for Public Health (Internal) Services only subject to comments in forwarding letter No. SE(HQ)/GC31 Dt. 2-5-11

Superintending Engineer (HQ) HUDA-Panchkula

ARCHITECT'S SEAL & SIGNATURE	OWNER'S SEAL & SIGNATURE
	For VATIKA LIMITED Authorised Signatory

JULY-2011 | Scale : 1:100

Drawing Title:- 10TH & 11TH

Drawing No:-